

**Homestead Finishing Products**

1935 W 96<sup>th</sup> St. Unit Q

Cleveland, OH 44102

PH: 216-631-5309 FAX: 216-631-5429

**MATERIAL SAFETY DATA SHEET COVER SHEET**

VIVITONE #8006 GREEN BLUE COLORANT

COLORTONE #5367 GREEN COLORANT FOR WATERBASED FINISHES

EMERGENCY TELEPHONE NUMBER: 216-631-5309

This product is re-packaged by Homestead Finishing Products. See following MSDS for manufacturer's material safety data sheet.

**DISCLAIMER:** J.B. Jewitt Co., Inc., Homestead Finishing Products believes all the information and data given is accurate as of the date of preparation and is offered in good faith, but without warranty or representation. Since conditions of use are beyond our control we disclaim all liability for the use or handling of this product. This information is offered solely for your consideration, investigation, and verification.

## MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	1 / 9

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product information

Trade name : 896-5501 CHROMA-CHEM® PHTHALO GREEN BS APG  
Use of the Substance / : Aqueous industrial colorant  
Preparation  
Company : Evonik Degussa Corporation  
379 Interpace Parkway  
Parsippany, NJ 07054  
USA

Telephone : 973-541-8000

Telefax : 973-541-8040

US: CHEMTREC EMERGENCY : 800-424-9300  
NUMBER

CANADA: CANUTEC : 613-996-6666  
EMERGENCY NUMBER

Product Regulatory Services : 973-541-8060

### 2. HAZARDS IDENTIFICATION

#### \*\*\* EMERGENCY OVERVIEW \*\*\*

**Form-paste**    **Color-green**    **Odor-Mild odor.**

May cause eye, skin and respiratory tract irritation.

#### POTENTIAL HEALTH EFFECTS

##### Eye contact

A mild irritant according to test results on CHROMA-CHEM® base mixtures. Can cause tearing and reddening.

##### Skin Contact

A mild irritant according to test results on CHROMA-CHEM® base mixtures. Repeated exposure may cause drying of the skin.

##### Inhalation

Possibly irritating.

If misted, causes irritation of mucous membranes, nose, eyes, and throat. May cause coughing and difficulty in breathing.

##### Ingestion

## MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	2 / 9

May cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

### Chronic Health Hazard

The NJTSR No. 56705700001-5020P, is moderately toxic and may be harmful if swallowed, inhaled or absorbed through the skin. This material may also stimulate the central nervous system, possibly resulting in restlessness, uncoordination, tremors and convulsions.

Oral doses of Diethylene glycol monomethyl ether that were high enough to cause maternal toxicity in pregnant laboratory test animals also produced birth defects in their offspring. When applied continuously to the skin of laboratory test animals during pregnancy, this material caused slight embryofetal toxicity (delayed development) but no increase in birth defects. The relevance of this information to humans is not known. Overexposure to this material has been suggested as a cause of the following effects in laboratory animals, and may aggravate pre-existing disorders of these organs in humans: kidney damage, liver abnormalities, testis damage.

Ethylene glycol monobutyl ether has caused red blood hemolysis in laboratory animals and secondary injury to the kidney and liver. However, humans appear to be resistant to this effect.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Information on ingredients / Hazardous components

2-butoxyethanol; ethylene glycol monobutyl ether			
CAS-No.	111-76-2	Percent (Wt./ Wt.)	1 - 5 %
NJTSR No.56705700001-5004P			
CAS-No.	Trade Secret	Percent (Wt./ Wt.)	1 - 5 %
NJTSR No.56705700001-5020P			
CAS-No.	Trade Secret	Percent (Wt./ Wt.)	1 - 5 %
2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether			
CAS-No.	111-77-3	Percent (Wt./ Wt.)	1 - 5 %

### Other information

This material is classified as hazardous under OSHA regulations.

## 4. FIRST AID MEASURES

### Inhalation

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If unconscious, evaluate the need for artificial respiration. Get immediate medical attention.

### Skin contact

Immediately flush skin with plenty of water. Remove contaminated clothing. Obtain medical attention if irritation develops or persists. Wash clothing before reuse.

### Eye contact

In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation develops.

## MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	3 / 9

### Ingestion

If swallowed, do NOT induce vomiting. Have victim drink 8-10 ounces of water to dilute material in stomach. Get medical attention immediately. Never give anything by mouth to an unconscious person. Should vomiting occur, be sure to keep victim's head below hips to avoid aspiration of vomitus into the lungs.

## 5. FIRE-FIGHTING MEASURES

Flash point not determined

### Suitable extinguishing media

Use water spray or fog, foam, dry chemical or CO2.

### Specific hazards during fire fighting

Burning will produce toxic fumes. Burning will produce hazardous compounds including oxides of: carbon, nitrogen.

### Further information

Containers can build up pressure if exposed to heat (fire). Cool with water spray. As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Additional advice

Absorb spill with inert material, then place in a chemical waste container. After removal, flush contaminated area with water and collect for disposal. Clean up spills immediately. Remove sources of ignition and ventilate area. Use a respirator and other protective equipment as outlined in Section 8. Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

## 7. HANDLING AND STORAGE

### Handling

#### Safe handling advice

Wash thoroughly after handling.

Use with adequate ventilation.

Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

Avoid contact with skin and eyes.

### Storage

#### Requirements for storage areas and containers

Keep away from heat. Keep away from sparks, flame and other sources of ignition.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component occupational exposure guidelines

# MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	4 / 9

## • 2-butoxyethanol; ethylene glycol monobutyl ether

CAS-No. 111-76-2  
Control parameters 20 ppm  
50 ppm  
240 mg/m3

Time Weighted Average (TWA):(ACGIH)  
PEL:(OSHA Z1)

Skin designation:(OSHA Z1)

Can be absorbed through the skin.

20 ppm  
97 mg/m3

Time Weighted Average (TWA)  
Permissible Exposure Limit (PEL):(US CA  
OEL)

Skin designation:(US CA OEL)

Can be absorbed through the skin.

## Engineering measures

Local exhaust and mechanical ventilation recommended.

## Personal protective equipment

### Respiratory protection

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

### Hand protection

Use impermeable gloves.

### Eye protection

Use chemical splash goggles or face shield.

### Skin and body protection

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

A safety shower and eye wash fountain should be readily available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form	paste
Color	green
Odor	Mild odor.

### Safety data

pH	8.0 - 9.0
Boiling point/range	> 100 °C
Flash point	not determined

## MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	5 / 9

Relative density	1.2
Solubility/qualitative	Solubility in water: Dispersible.
Viscosity, dynamic	80 - 105 KU (25 °C)
Relative vapor density	Heavier than air
Solvents and Volatiles Data	
	% VOC (gm/l) 275.89
Evaporation rate	Slower than butyl acetate

### 10. STABILITY AND REACTIVITY

Materials to avoid	oxidizing substances
Hazardous decomposition products	carbon monoxide, carbon dioxide
Hazardous reactions	Product will not undergo hazardous polymerization.
Further information	This product is stable under normal storage conditions.

### 11. TOXICOLOGICAL INFORMATION

Product Acute oral toxicity	LD50 Rat: min. 2000 mg/kg
Product Acute inhalation toxicity	LC50 Rat: min. 2.53 mg/l / 4 h
Product Acute dermal toxicity	LD50 Rabbit: min. 2000 mg/kg
Component Skin irritation	2-butoxyethanol; ethylene glycol monobutyl ether 111-76-2 Rabbit / 24 h Irritating to skin. Severe skin irritation Method: Draize Test irritating
Component Eye irritation	2-butoxyethanol; ethylene glycol monobutyl ether 111-76-2 Rabbit Irritating to eyes. Severe eye damage must be expected. Severe eye irritation

NJTSR No.56705700001-5020P  
Trade Secret  
corrosive

## MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	6 / 9

Component Repeated dose toxicity	2-butoxyethanol; ethylene glycol monobutyl ether 111-76-2 inhalative mouse Testing period: 730 d LOAEL: 0.6025 mg/l target organ/effect: Lungs, Liver
Component Gentoxicity in vitro	2-butoxyethanol; ethylene glycol monobutyl ether 111-76-2 In vitro tests involving bacteria, human and other mammalian cells have indicated that ethylene glycol monobutyl ether may cause weak mutagenic effects. However, it is not possible to conclude that this substance is liable to cause mutagenic effects as the relevance of these tests is questionable since none have been reproduced.
Component carcinogenicity assessment	2-butoxyethanol; ethylene glycol monobutyl ether 111-76-2 Ethylene glycol monobutyl ether has caused malignant and benign tumors in animal experiments.
Component teratogenicity assessment	2-butoxyethanol; ethylene glycol monobutyl ether 111-76-2 Oral and inhalation exposure to ethylene glycol monobutyl ether has been shown in animal experiments to cause dose-related fetotoxic effects. Developmental effects, including malformation of the fetus, have been observed at doses that were maternally toxic and marginally reduced fetal weight has been observed at doses that were not maternally toxic in rats.  2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether 111-77-3 Diethylene glycol monomethyl ether has been shown to cause fetotoxicity and teratogenicity via oral route in tests on laboratory animals.
Product General Toxicity Information	The toxicological properties of this product were based on data from an analogous product.

## 12. ECOLOGICAL INFORMATION

General Ecological Information No ecotoxicological studies are available.

## 13. DISPOSAL CONSIDERATIONS

### WASTE DISPOSAL

Advice on disposal Waste must be disposed of in accordance with federal, state, provincial and local regulations.

# MATERIAL SAFETY DATA SHEET

**896-5501 CHROMA-CHEM® PHTHALO GREEN BS**

**APG**



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	7 / 9

## 14. TRANSPORT INFORMATION

### Transport/further information

Not classified as dangerous in the meaning of transport regulations.

## 15. REGULATORY INFORMATION

### Information on ingredients / Non-hazardous components

This product contains the following non-hazardous components

Water				
	CAS-No.	7732-18-5	Percent (Wt./ Wt.)	30 - 60 %
NJTSR No.56705700001-5756P				
	CAS-No.	Trade Secret	Percent (Wt./ Wt.)	10 - 30 %
NJTSR No.56705700001-6329P				
	CAS-No.	Trade Secret	Percent (Wt./ Wt.)	10 - 30 %

### US Federal Regulations

#### OSHA

If listed below, chemical specific standards apply to the product or components:

- None listed

#### Clean Air Act Section (112)

If listed below, components present at or above the de minimus level are hazardous air pollutants:

- 2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether  
CAS-No. 111-77-3

#### CERCLA Reportable Quantities

If listed below, a reportable quantity (RQ) applies to the product based on the percent of the named component:

- None listed

#### SARA Title III Section 311/312 Hazard Categories

The product meets the criteria only for the listed hazard classes:

- Acute Health Hazard
- Chronic Health Hazard

#### SARA Title III Section 313 Reportable Substances

If listed below, components are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:



## MATERIAL SAFETY DATA SHEET

896-5501 CHROMA-CHEM® PHTHALO GREEN BS

APG



Material no.		Version	1.18 / US
Specification	139314	Revision date	01/22/2008
Order Number		Print Date	02/06/2008
		Page	8 / 9

- 2-butoxyethanol; ethylene glycol monobutyl ether  
CAS-No. 111-76-2
- 2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether  
CAS-No. 111-77-3

### Toxic Substances Control Act (TSCA)

If listed below, non-proprietary substances are subject to export notification under Section 12 (b) of TSCA:

- None listed

### State Regulations

#### California Proposition 65

A warning under the California Drinking Water Act is required only if listed below:

- None listed

### International Chemical Inventory Status

Unless otherwise noted, this product is in compliance with the inventory listing of the countries shown below. For information on listing for countries not shown, contact Evonik Degussa Corporation Product Regulatory Services Department:

- |                          |                           |
|--------------------------|---------------------------|
| • Europe (EINECS/ELINCS) | Listed/registered         |
| • USA (TSCA)             | Listed/registered         |
| • Canada (DSL)           | Listed/registered         |
| • Australia (AICS)       | Listed/registered         |
| • Japan (MITI)           | Not listed/Not registered |
| • New Zealand            | Listed/registered         |
| • Korea (TCCL)           | Listed/registered         |
| • Philippines (PICCS)    | Listed/registered         |
| • China                  | Listed/registered         |

## 16. OTHER INFORMATION

### HMIS Ratings

Health :	2*
Flammability :	1
Physical Hazard :	0

## MATERIAL SAFETY DATA SHEET

**896-5501 CHROMA-CHEM® PHTHALO GREEN BS**

**APG**



Material no.		Version	<b>1.18 / US</b>
Specification	<b>139314</b>	Revision date	<b>01/22/2008</b>
Order Number		Print Date	<b>02/06/2008</b>
		Page	<b>9 / 9</b>

### Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.