



## 1. Product and Company Identification

<b>Material name</b>	830-8895 CAL-TINT®II VIOLET
<b>Version #</b>	01
<b>Issue date</b>	01-22-2015
<b>CAS #</b>	Mixture
<b>SAP Specification</b>	000000139793
<b>Product use</b>	Aqueous colorant
<b>Manufacturer</b>	
<b>Company</b>	Chromaflo Technologies Corporation 2600 Michigan Avenue Ashtabula, OH 44005-0816 USA
<b>Telephone</b>	440-997-5137
<b>Telefax</b>	440-992-3613
<b>US: CHEMTREC</b>	800-424-9300
<b>EMERGENCY NUMBER</b>	
<b>CANADA: CANUTEC</b>	613-996-6666
<b>EMERGENCY NUMBER</b>	
<b>Product Regulatory Services</b>	440-536-9691

## 2. Hazards Identification

<b>Emergency overview</b>	CAUTION  Harmful in contact with eyes. Prolonged exposure may cause chronic effects. If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.
<b>OSHA regulatory status</b>	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
<b>Potential health effects</b>	
<b>Routes of exposure</b>	Inhalation. Ingestion. Skin contact. Eye contact.
<b>Eyes</b>	Eye contact may result in corneal injury. Contact may irritate or burn eyes. Do not get this material in contact with eyes.
<b>Skin</b>	Avoid contact with the skin. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
<b>Inhalation</b>	Prolonged inhalation may be harmful. Avoid breathing dust/fume/gas/mist/vapors/spray.
<b>Ingestion</b>	Components of the product may be absorbed into the body by ingestion. Do not ingest.
<b>Target organs</b>	Cardiac. Central nervous system. Eyes. Respiratory system. Skin.
<b>Chronic effects</b>	Conjunctiva. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
<b>Signs and symptoms</b>	Corneal damage. Narcosis. Decrease in motor functions. Behavioral changes. Skin irritation. Defatting of the skin. Rash. Conjunctivitis.
<b>Potential environmental effects</b>	May cause long-term adverse effects in the environment.

## 3. Hazardous components

Components	CAS #	Percent
ethanediol; ethylene glycol	107-21-1	20 - 40
Talc, Magnesium silicate hydrate	14807-96-6	20 - 40
Diethylene glycol	111-46-6	2.5 - 10
Other components below reportable levels		20 - 40

## 4. First Aid Measures

### First aid procedures

#### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

#### Skin contact

Wash off with warm water and soap. Get medical attention if irritation develops and persists.

#### Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

#### Ingestion

Rinse mouth thoroughly. If ingestion of a large amount does occur, call a poison control center immediately.

### Notes to physician

Symptoms may be delayed.

### General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire Fighting Measures

### Flammable properties

Not flammable by OSHA criteria. Not combustible by OSHA criteria.

### Extinguishing media

#### Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### Protection of firefighters

#### Protective equipment and precautions for firefighters

Wear suitable protective equipment.

### Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

## 6. Accidental Release Measures

### Personal precautions

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the MSDS.

### Environmental precautions

Do not contaminate water.

### Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Use water spray to reduce vapors or divert vapor cloud drift. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.

### Methods for cleaning up

Extinguish all flames in the vicinity. Should not be released into the environment.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.

## 7. Handling and Storage

### Handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. Do not use in areas without adequate ventilation. Wash thoroughly after handling. Avoid release to the environment.

### Storage

Keep away from heat, sparks and open flame. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS). Keep away from food, drink and animal feedingstuffs. Use care in handling/storage.

## 8. Exposure Controls / Personal Protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
ethanediol; ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Talc, Magnesium silicate hydrate (CAS 14807-96-6)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		20 millions of particle 2.4 millions of particle	Respirable.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

#### Eye / face protection

Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.

#### Skin protection

Wear appropriate chemical resistant clothing. Chemical resistant gloves.

#### Respiratory protection

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to vapor/mist at levels exceeding the exposure limits.

#### General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical & Chemical Properties

Appearance	Not available.
Physical state	Liquid.
Form	Liquid.
Color	Violet.
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	Not available.
Melting point/Freezing point	Not available.
Solubility (water)	Not available.
Specific gravity	Not available.
Relative density	Not available.
Flash point	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.

**Other data**

Density 18.948 lbs/gal  
 Flammability class Combustible IIIB estimated

**10. Chemical Stability & Reactivity Information**

**Chemical stability** Material is stable under normal conditions.  
**Conditions to avoid** Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible materials.  
**Incompatible materials** Strong oxidizing agents.  
**Hazardous decomposition products** No hazardous decomposition products are known.

**11. Toxicological Information****Toxicological data**

Product	Species	Test Results
830-8895 CAL-TINT@II VIOLET (CAS Mixture)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	27611.4082 mg/kg estimated
<i>Oral</i>		
LD50	Cat	5024.6514 mg/kg estimated
	Dog	16455.9258 mg/kg estimated
	Guinea pig	27.1453 g/kg estimated
	Mouse	40.5752 g/kg estimated
	Rabbit	511.3485 g/kg estimated
	Rat	19.4616 g/kg estimated
<i>Other</i>		
LD100	Rat	5000 g/kg estimated
LD50	Mouse	17.3725 g/kg estimated
	Rabbit	38018.4766 mg/kg estimated
	Rat	6485.4785 mg/kg estimated
Components	Species	Test Results
ethanediol; ethylene glycol (CAS 107-21-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	9530 mg/kg
<i>Oral</i>		
LD50	Cat	1650 mg/kg
	Dog	5500 mg/kg
	Guinea pig	8.2 g/kg
	Mouse	14.6 g/kg
	Rat	5.89 g/kg
<i>Other</i>		
LD50	Mouse	5.8 g/kg
	Rat	2800 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Local effects** Components of the product may be absorbed into the body through the skin. Contact may irritate or burn eyes.

**Chronic effects** Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood. Prolonged exposure may cause chronic effects.

## Carcinogenicity

### ACGIH Carcinogens

ethanediol; ethylene glycol (CAS 107-21-1)

A4 Not classifiable as a human carcinogen.

Talc, Magnesium silicate hydrate (CAS 14807-96-6)

A4 Not classifiable as a human carcinogen.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Talc, Magnesium silicate hydrate (CAS 14807-96-6)

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Neurological effects** Hazardous by OSHA criteria.

**Further information** Symptoms may be delayed.

## 12. Ecological Information

### Ecotoxicological data

Product	Species	Test Results
830-8895 CAL-TINT®II VIOLET (CAS Mixture)		
Fish	LC50	11756.79 mg/l, 96 hours estimated
Components	Species	Test Results
ethanediol; ethylene glycol (CAS 107-21-1)		
<b>Aquatic</b>		
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) 8050 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

**Environmental effects** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Persistence and degradability** Not available.

### Bioaccumulation / Accumulation

#### Bioaccumulative potential

##### Octanol/water partition coefficient log Kow

ethanediol; ethylene glycol -1.36

## 13. Disposal Considerations

**Waste codes** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport Information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

## 15. Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number**

Not listed.

**Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

Not regulated.

**DEA Exempt Chemical Mixtures Code Number**

Not regulated.

**US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration**

ethanediol; ethylene glycol (CAS 107-21-1) 1.0 %

**US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance**

ethanediol; ethylene glycol (CAS 107-21-1) Listed.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA (Superfund) reportable quantity**

ethanediol; ethylene glycol: 5000

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**Section 302 extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Silica, crystalline (quartz) (CAS 14808-60-7) Listed: October 1, 1988 Carcinogenic.  
Titanium dioxide (CAS 13463-67-7) Listed: September 2, 2011 Carcinogenic.

**US - New Jersey RTK - Substances: Listed substance**

ethanediol; ethylene glycol (CAS 107-21-1) Listed.  
Talc, Magnesium silicate hydrate (CAS 14807-96-6) Listed.

**US. Massachusetts RTK - Substance List**

ethanediol; ethylene glycol (CAS 107-21-1)  
Talc, Magnesium silicate hydrate (CAS 14807-96-6)

**US. Pennsylvania RTK - Hazardous Substances**

ethanediol; ethylene glycol (CAS 107-21-1) Listed.  
Talc, Magnesium silicate hydrate (CAS 14807-96-6) Listed.

**US. Rhode Island RTK**

ethanediol; ethylene glycol (CAS 107-21-1)

**16. Other Information**

**Further information**

HMIS® is a registered trade and service mark of the NPCA.

**HMIS® ratings**

Health: 2\*  
Flammability: 1  
Physical hazard: 0

**NFPA ratings**

Health: 2  
Flammability: 1  
Instability: 0

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available.